RESTRICTED USE PESTICIDE

Due to corrosive effects during inhalation and to eyes and skin. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certifications.

DOCSN 10291326550101JH

THE FRUIT DOCTOR

COMPRESSED SULFUR DIOXIDE

THIS PRODUCT IS ACCOMPANIED BY A COMPLETE LABEL AND APPLICATION MANUAL. READ AND UNDERSTAND THE ENTIRE LABELING (LABEL AND APPLICATION MANUAL) BEFORE USING THIS PRODUCT. CONTACT SHOWDEN ENTERPRISES, INC. TO OBTAIN A REPLACEMENT COPY OF THE APPLICATION MANUAL.

ACTIVE INGREDIENT: Sulfur Dioxide.....

KEEP OUT OF REACH OF CHILDREN

DANGER



POISON

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALF. See additional Precautions in the Application Manual.

FIRST AID

skin or clothing

II in

Move person to fresh eir. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth—to—mouth, if possible, freined personnel should administer oxygen as soon se-possible. • Seek medical attention immediately. Call a poison control center or doctor for further treatment advice.

Immediately flush contaminated skin with copious amounts of running weter for at least 15 minutes. Continue as required to centrol burning sensation. Nameyo contaminated clothing while me shower to ensure tripation of all contaminated skin. • Only apply any chemicals for immediately call a poison penfel center or doctor for freatment advice.

DO NOT wear contact tenses when weighing with or around sulfur dioxide. • Hold are open and rinse slowly and gently with water for 15–20 minutes. Complately flush all eye and lid tissue. • Do NOT apply any chemicals up philment to the eyes. • Seek medical attention immediately. Call applys any chemicals up philment to the eyes. • Seek medical attention-immediately. Call applys any chemicals up philment to the eyes. • Seek medical sittention-immediately. Call applys any chemicals are reflected for treatment advice.

Swallowed

(LIGHD SULFUR DIDXIDE) * Call a golon control center or doctor immediately for treatment advice. * Have advance by a gloss of water if able to sweltow. * Do not induce vemiting. * Do not global anothing by mouth to an unconscious person.

NOTES: . Nave the product container in laber with you when calling a poison control center or dealer or going fer treatment.

In the signt of a medical smergency, you may also contact the National Posticida Information Center (NPIC) at 1-800-858-7378.

NOTE TO PHYSICIAN: Probable nucosal damage may contraindicate the use of pastric lavage.

The FRUIT DIXTIN

HAZARDS TO HUMANS AND DOMESTIC ANIMALS PRESSURIZED LIQUID GAS HAZARDOUS VAPOR AND LIQUID LIQUID CAUSES BURNS OF SKIN AND EYES.

Fetal If inhaled in high concentration. Do not breathe vapor. Persons with a history of reapiratory problems should avoid exposure to the product. For handling activities in enclosed areas, use either a supplied—air respirator with NIOSH approval number prefix TC-19C. OR a self-contained breathing apparatus ISCBAI with NIOSH approval number TC-19F. Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear a full—face shield. Causes skin burns. Do not get in eyes, on skin, or on clothing. Wear long steeved shirt and long pants, and chemical resistant gloves and boofs. Wash thoroughly with scap and water after handling and bolore setting, drinking, chewing yum, or union labora. Remove and week contemplated clothing before acting. using tobacco. Remove and wash contaminated clothing before reuse.

EPA REG. No. 11195-1

EPA EST. No. 11195-CA- 2

Manufactured for: Snowden Enterprises, Inc., P.D. Box 751, France, California 93712

Net Contents:

(See Attached Tay for Pounds Suffur Dioxide Not Contents)